






Common sunflower

Helainthus annuus
Height tu pt o 3m
The sunflower gives us taty seeds which, as well as being eaten whole, can be pressed to release a versatile and flavoursome oil, used in salads, cooking and much more. Sunflower oil has other uses too, including as biofue, in soap making and as a drying oil for pant.

Colour in this cannonball flower





Cannonball flower


Couroupita guianensis Height: 23m

Native to the Guianas in South America, the cannonball tree has complex, waxy flowers that are beautifully scented and grow directly on the bark of the trunk. Its fruits look like rusty cannonballs hanging in clusters.

Label the layers of the rainforest





Understorey Canopy Undergrowth Emergent layer



Rainforest


Permanently wet and warm, rainforests provide such a fertile growing environment that many different kinds of plants have learnt to live alongside (and often underneath) each other. Some are tall and thin, spreading high canopies to catch the sun; others cling on to another plant; others creep along the ground in the dark (rawing nutrients from the rich, damp soil.





Sponge gourd

Luffo degyptioca
Fruit length: up to 61cm long
The fruit of the sponge gourd is a popular delicacy in China and
Vietnam, but in western Europe and the United States, it is probably
best known for a completely different use — scrubbing your back
in the bath. The luffa (or loofah) fruit is very fibrous when ripe.
Remove the flesh, and you have an excellent scrubbing sponge.





Eastern Cape giant cycad

Encephalartos altensteinii

Height 6m
Cycads have a long, cylindrical trunk and usually no branches. Leaves grow directly from the top of the trunk, and typically fall off as the tree gets older, leaving a diamond pattern on the stem and a crown of leaves at the top. Unlike palms, cycads do not flower and bear their reproductive organs in cones.

Match the seeds to the leaves





















English oak acorn and leaf





Common beech seed pod and leaf





Sweet chestnut seed and leaf






Scarlet oak acorns and leaf

Complete the patterns and colour in the algae




Wild flowers

Flowering plants that grow without being either planted or altered by human hands are known as wild flowers. Wild flowers are completely reliant upon nature to disperse their seeds.




AUSTRALIA


Answers



- 1 Giant sequoia
- 2 African milk tree
- 3 Japanese anemone
- 4 Common sundew
- 5 Bacaba 6 Bottle palm 7 - Papyrus

Find a way through the maze to the centre of the water lily





Amazon water lily

Victoria amazonica Width: up to 2.5m The leaves of the Amazon water lily are so buoyant that they can easily support the weight of a small child of up to 45kg.

Draw in the other half of this buttercup





Creeping buttercup

Ranunculus repens
Height up to 30cm
The buttercup is a radially symmetrical
flower – so it is possible to draw many lines
of symmetry on the face of the flowers.
Buttercups are pollinated by insects.





\mathcal{A} lpine habitat

Alpine plants can survive anywhere in the world with the right conditions. These include: very low temperatures, regularly below 0°C for months at a time, but often covered by a blanket of snow, dryness; high levels of ultra-violet radiation; and a very short growing season.





Mistletoe On other plants



Oil palm Rainforest



Umbrella liverwort Swamp



Crow's claw cactus



Desert




Loblolly pine

Coniferous forest





 $\mathcal{A}_{ ext{quatic}}$ primrose



Asiatic witchweed



European dodder



Bee orchid

Stinking corpse flower

Parasitic plants

All plants need food, water and nutrients. Most get their own from the sun, rain and soil. Some, however, use other plants to do it for them. These are called parasitic plants.



Cobra pitcher plant


Add detail to the pumpkin plant and colour it in



Pumpkin

Cucubito peop Height: 70cm
The pumpkin is one of the oldest domesticated plants. Archaeological sites in northern Mexico have revealed fragments dated 7000–5500 e.c. and in the southwestern United States to an 610. An integral part of the diet of Native American peoples before the arrival of European settlers in the fifteenth century, it is 11al important crop in these regions.

How to draw a pineapple




Try it yourself



Red pineapple


Ananas bracteatus
Plant height: 1.2m
A pineapple is not a simple fruit but consists of a whole bunch
of fruits melted together into one large, fleshy structure.
In tropical America, where pineapples are native, tapirs love to
eat the fruits of wild pineapples and help disperse their seeds.
Cultivated pineapples are bred to be seedless.





Dandelion

Taraxocum officinale
Height bu to 30cm
Dandelions look like they have one, large yellow
flower, but they actually have lots of very small
flowers collected together into a composite flower
head Each single flower in a head is called a floret.







Japanese maple



Broadleaf maple

Draw a line connecting each plant to the food it makes



Chocolate

Coffee

Cashew nut

Banana



Cashew nut

The hard kidney-shaped part of the cashew fruit contains the seed, which we call a 'cashew nut'.



Thousands of years of domestication have produced a delicious edible fruit.



Chocolate

The dried, fermented seeds of the cacao plant are ground up to yield cocoa powder, which is used to make chocolate.



Coffee

The small red drupes (fruits with an outer fleshy part containing a hard seed) seen on the coffee plant contain two 'beans'.

Match each bulb to its name and finish drawing it









BONNIER

Crocus

Garlic


Tulip

Onion

VIE

BONNIER

BONNIER



Draw more fish around this water lettuce





Water lettuce

Pistia stratiotes Height: 15cm This lives in most subtropical fresh waterways. Its free-floating roots are well adapted to absorbing nutrients from flowing water.

Match the crops to their names

Bread wheat

Teosintes Pearl millet


Goat wheat


Maize


Emmer wheat

Rice

This high quality PDF preview was generated on Sunday 19 November 2023. Visit bookshelf.bonnierbooks.co.uk for up-to-date previews and information.







Bearded iris 'Old Black Magic'

Iris x germanica hybrid
Height: 60-90cm
Along with other flowers, the iris is grown for its scent.
To make this, an iris's rooting structure - known as a rhizome - needs to be stored for three years. When taken out of storage and squeezed, it exudes a distinctive, butter-coloured oil called orns, which smells of violets. Orns also has the unusual property of making other scents smell storager.

Draw your own cactus - it can be as spiky and colourful as you like





Zebra cactus



Prickly pear



Crow's claw cactus



Spot the difference (there are 10 differences to spot)






The Christmas star orchid

Angraecum sesquipedale Height: up to Im

This beautiful white orchid comes from Madagascar. It grows up to 1m high and is epiphytic, growing off tree trunks. It holds 30cm in length) extending behind the flower, accessible only to its long-tongued pollinator, the hawkmoth.

Draw the rest of this Carboniferous forest







Carboniferous forest

The transition from the first, small, herbaceous land plants to massive trees 40-50m high, happened over 90 million years, between 389-299 million years ago. By the end of this period, known as the Carboniferous period, the Earth was covered with dense forests. These earliest forests gave us the first trees that reproduced by seeds.





Bromeliad



Buttercup



Saxifrage



Carrot



Honeysuckle



Hornwort



Horsetail



Magnolia



Red algae



Moss





Club moss




Orchid

Find the missing square







Stinking corpse flower

Rafflesia amoldii
Diameter: up to Im
This flower has two notable claims to fame.
The first is that it produces the largest individual flower on Earth. The other is that it striks. The smell is similar to rotting flesh.

Finish the orchids







 ${\it Cattleya}\ a {\it clandiae}$



Rothschild slipper orchid



Umbrella orchid

Match the carnivorous plants to the way they catch their prey



Uses a pitfall trap prey slips down and is trapped Snaps shut when it detects movement

Traps flies with its sticky leaves



Common sundew
Traps flies with its sticky leaves



Rajah pitcher plant
Uses a pitfall trap – prey slips down and is trapped




Venus fly trap Snaps shut when it detects movement


Practise drawing details on the leaves, then make up some leaves of your own!















Daucus carota
Root length: 14—25cm
Root vegetables include tasty delicacies like carrots,
turnips, swedes and radish, Below ground, they grow

urmips, swedes and radish. Below ground, they grow as a swollen root, and can worm themselves into all sorts of shapes. Leaves grow directly from the above-ground shoulder of this tap root, and there is little or no above-ground stem, only leaves.






Spot the difference (there are 10 differences to spot)



Chinese or saucer magnolia

Magnolia x soulangeana Height: up to 6m This magnolia is a small, deciduous shrub with large white, pink or purple, gobbet-shaped flowers up to 25cm, and is a popular garden hybrid produced from two natural species from

All these plants grow below ground. Colour them in






Below-ground edible plants

Root vegetables, rhizomes and tubers all provide a way for the plant to store starches, proteins and nutrients to provide energy for regrowth during the ext growing season. Many food crops are provided by these below-ground storage organs.

Complete the other half of this plant using the grid to help





\mathcal{A} ckee

Blighia sapida Height: up to 30m

Although this tree is native to tropical West Africa, it is widespread in Jamaica and is the defining ingredient in Jamaica's national dish 'ackee and saltfish'. The brightly coloured fruits contain three large black seeds, each bearing a yellowish-white appendage.