



OUR BIGGEST CLUE:EARTH

The blue-green marble of Earth shines like a jewel against the blackest black. An oasis of life in the desert of the universe. As the only planet with life, it's all we have to go on. If we can work out what makes Earth special, it could help us search for similar places in our quest for extra-terrestrials.

So, what makes Earth unique?

IIIIIII

PUZZLE PIECES

The surface of the Earth is broken up into puzzle pieces called tectonic plates. They create mountains, volcances and earthquakes. Yet they also keep Earth's temperature steady by letting heat in and out of the planet Earth is

BONNIER

the only planet we know of

with these plates.

A FORCE FIELD

BONNIER

BONNIER

Space is a pretty dangerous place, full of things that can kill you. Dying stars burp out particles called cosmic rays that can damage the cells inside your body and stop them working properly. Fortunately, the Earth has a force-field our magnetic field. Formed deep inside the core of the planet, it burst through the surface to create a protective cocoon around us. Along with our thick atmosphere, it stops cosmic rays from reaching Earth's surface and life can go about its business unharmed. But there is one thing above all others that life seems to need, and Earth has an awfull toof fit water.

VER

+BONNIER

BONNIER

BONNIER.

A BIG MOON

NIER

For a smallish planet, we have a very big Moon. The pull of its gravity

keeps us steady and stops the Earth wobbling around too much. This keeps the seasons steady and stops the planet getting too hold or too cold. Without the Moon, ice ages would be a lot more common. And if there's one thing life hates, it's change.

THE GOLDILOCKS PLANET

Look at a map of the world and you might think that the Earth is mostly land. But that's because maps are drawn based on where people live. The Pacific Ocean is tucked away at the map's edges, but it covers a third of Earth's surface. It's bigger than all seven continents combined. Look at the Earth from space at just the right angle and you'll see no land at all.



HOW MUCH WATER?


There's so much water on Earth that if you collected it all into a ball, it would be bigger than the biggest asteroid in the Asteroid Belt. It would also weigh one hundred times more than Mars's two moons added together.



WHY IS IT LIQUID?

How hot a planet is largely depends on how close it is to the Sun. On Mercury and Venus – the planets closer to the Sun that us – the temperature soars above 400 degrees. That's about twice as a kitchen oven. By the time you get to Mars – the next planet out from us – the average temperature drops to minus sixty (about three times colder than the inside of a freezer).








Earth is in the perfect spot in between. Like the ideal porridge in the fairy tale Goldilocks and The Three Bears, our temperature is "just right".


That's why astronomers call Earth a "Goldilocks planet". There's only a narrow part of the solar system with temperatures right for a planet to have liquid water – the Goldilocks zone or habitable zone – and the Earth sits just inside the front edge of it.

Although not all creatures that live here need the perfect conditions...

BON



0



WATER, WATER, EVERYWHERE...

You're flying over a craggy ice sheet when suddenly you see it rising over the horizon. You're stunned into complete silence and can't look away. Saturn and its majestic rings appear almost 150 times wider than the Full Moon does in our night sky.

You are searching for life on Enceladus, one of Saturn's 117 known moons. Beneath its cracked, icy surface is an ocean of liquid water that's almost as big as the Arctic Ocean here on Earth.

BONNIER. A TRIP TO JUPITE ONNIER

right for life.

decorpted a type of silica which exists

a home to ancient microbe

The same thing is happening on Jupiter's moon Europa which NASA estimates has a sub-surface ocean containing twice the amount of water in Earth's oceans. Future missions such as NASA's Europa Clipper, scheduled for arrival in 2030, could help us work out if the conditions there are



BONNIER

OUTSIDE THE GOLDILOCKS ZONE Enceladus is a long way from the Sun, more than five times farther than the outer edge of the solar system's habitable zone. And yet there's plenty of liquid water here despite Enceladus's surface temperature of minus 200 degrees Celsius.

How can this be? The secret is tidal heating. Enceladus orbits around Saturn in just 33 hours, meaning it's very close to the planet. During this orbit Enceladus gets severely stretched and squeezed by Saturn's strong gravity. This constant flexing warms up the inside of the moon, which is enough to keep the water liquid under its surface ice.

THE RED PLANET

Even our next-door neighbour, Mars, could be a living planet, Data from our Mars rovers tell us that the Red Planet, which today is cold and dry, used to be a lot more like Earth with oceans, lakes and rivers. If life got started when liquid water was everywhere on Mars. extremophiles could still be clinging on to this day in hard-to-reach places like undergr aves. Imagine Martian snottitel

ANOTHER EARTH

Despite these possibilities. Earth remains the only place we've ever found life. There's only one planet like ours around the Sun, so to find another Earth we may have to widen the search. It's time we looked towards the

other stars twinkling away in the night sky!

With its global ccoan and internal heat agod contendors.

this ground contender for alle

A robotic spacecraft called Cassini discovered Saturn's ocean during a 13-year space mission.

Jets of icy particles and explosions of water and chemicals continuously spurt into space from its surface."

BEYOND OUR ...

Space is big. Almost impossibly big. It contains more stars than the number of heartbeats in all of human history and we don't know if it ever ends. How do you even begin to search for life in such a vast and intimidating universe?

THE MILKY WAY

Every star in the night sky is a distant sun within a group of stars called the Milky Way galaxy. Each one could have planets swarming around it in a solar system of its own. We call them exoplanets. The problem is that the distance to the nearest solar system is over four light years away, meaning a beam of light travelling at 300.000 kilometres per second would take a little over four years to get there. So, sending a spaceraft for a closer look is currently out of the question (although there are

Scientists think there could be trillions of exoplanets, some orbiting stars and some just floating freely in space,

> The first exoplanets were discovered in 1992, orbiting a pulsar (a dying star).

Scientists have now found more than 5000 exoplanets, of all different shapes, sizes and types.

THE FIREFLY AND THE LIGHTHOUSE

For now, you're left looking for excolanets from afar, using big telescopes scattered around the world and lofted into space. But it's not simple: stars are incredibly bright and planets are very dim. Seeing a distant excolanet is like trying to spot the light from a firefly in the glare of 250 lighthouses, both placed an Earth's width away from you 430 Tet. All-and 150 Tet. Al

Telescopes/satellites - somehow referencing the firefly/250 lighthouses analogy.

We could show the James Webb telescope, beaming light onto a zoom-in, which shows a snapshot of an exoplanet - see image ref above. The exoplanet is simply a fuzzy blob!

To link the analogy visually, we could show some bright neon green fireflies in the foreground.

re Telescope
(JWST) is one of
the most powerful.
telescopes ever built
specifically designed
to study exoplanets.

ALIEN PLANET TOOLKIT

Simply pointing your telescope at a star and hoping to photograph its planets is almost impossible, instead, astronomers turn into detectives, carefully and cleverly unravelling clues that a star has allen planets. Future allen planet explorer, it's time that you learned these techniques!

Winks (page xx) when planets pass in front of stars, creating dips in the starlight, alerting astronomers to their presence.

Wobbles (page xx) detent expolanete that make their stars wobble

Wiggles (page xx) monitor a star's movement, which will be slightly


Ticks (page xx) look at any changes in radio waves.

Blips (page xx) detect when an exoplanet's gravity bends starlight.

Snaps (page xx) use space telescopes to take photographs of exoplanets.


BONNIER

SECTION 2: HOW TO HUNT FOR ALIEN PLANETS



EXOPLANET TOOLKIT: WOBBLES

Have you been taught that the Sun stays still while the planets move around it? Well, it's a little more complicated... The Sun actually moves or 'wobbles' around as it's pulled on by the gravity of its planets



WOBBLING STARS

Distant stars with exoplanets do the same, wobbling towards and then away from us. This wobbling affects the starlight you see. Think about a police car's siren as it hurtles by. The sound waves get squashed as it races towards you but are stretched out as the car speeds off and pulls them away. That's why you hear the pitch of the siren change.

With wobbling stars, the light changes instead. When a star wobbles towards Earth, the light waves bunch up and become slightly bluer. This is called blueshift. When the star wobbles away from us, the light waves are stretched out and become slightly redder. This is called redshift.

COLOURS OF STARLIGHT

Astronomers use a device called a spectrograph, which attaches to the telescope, to view these tiny changes of light. This breaks up the starlight into a kaleidoscope of colours called a spectrum. It is similar to the way raindrops split sunlight to make a rainbow.

The spectrum contains black lines, which move from the blue end to the red end as the star wobbles. This technique – the **radial velocity method** – is so sensitive that it can detect changes in the speed of a wobbling star down to ten centimetres per second. That's about the top speed of a sloth!

Heavier planets orbiting a star cause bigger wobbles, making the lines move more. You're looking for just the right amount of wobble to suggest a planet as heavy as Earth. This might mean it has the right properties to support extra-terrestrial life.



THE WOBBLES METHOD First Planet Discovered: 51 Pegasi b (Dimidium) Date: 6 October 1995 Orbital period: 102 hours Distance to Earth: 50 light years

BONNIER





EXOPLANET TOOLKIT: WIGGLES BONNIER

With just a few minutes until sunrise, a rocket ignites and soars into the air, a \$1 billion telescope safely nestled inside. Once in space it is catapulted some 1.5 million kilometres away from Earth to a quiet spot where it begins looking at distant stars.

NNIER BONNIER

ONNIER

HEAVY PLANETS An Earth-sized planet pulling on a

Sun-like star will make that star wiggle in the night sky by just 0.3 millionths of an arcsecondan an amount that's 6 billion times smaller than the width of the Full Moon. Unfortunately, even Gaia isn't capable of making measurements that precise. However, it should still find heavier planets than Earth around smaller stars than the Sun where the wiggles are more obvious. And once you find an

exoplanet, who knows what life might reside there?

BONNIEK

MISSION GAIA

This telescope, launched in 2013, is called Gaia. Its mission? To map the positions of the stars more accurately than ever before. In the process astronomers hope to find tens of the stars more accurately than ever before as the star before the star befo

BONNE





MAPPING STARS

or 1800 arcseconds.

as a circle. We divide degrees the same way we split hours - into minutes

width of the Full Moon, for example, takes up half a degree of the sky -

First Planet Discovered: DENIS-P J082303.1-491201b Date: 2013 Orbital period: 246.4 days Distance to Earth: 67.7 light years

-NINITER -NINITER

EXOPLANET TOOLKIT: TICKS

Bang! A massive star collapses before exploding outwards, creating a searing flash of light brighter than one hundred billion stars. More energy is released in a few seconds than the Sun will emit in its entire ten-billion-year lifetime.

SUPERNOVA DISPLAY

This huge explosion - called a supernova - is one of the universe's most impressive firework displays. Dee's in the heart of the explosion fit the smoked-out runs of a once mighty star. This dead core is just 30 kilometres across - about the same size as a big city like London. Yet it still contains half the mass of the original star. Everything is so squashed together that a single teaspoon of its material weighs more than every person on Earth put together!

BONNIER

NEUTRON STARS

0000

Astronomers call it a neutron star and they act as Nature's lighthouses, sending out beams of radiation into space as they spin. The beams arrive on Earth as pulses of radio waves so we also call them pulsars.



OUT OF TIME

PONNIER ...

Pulsars are super-reliable clocks. The gap between the pulses of radio waves hitting Earth is precisely the same. Tick after dependable tick. But an orbiting exoplanet throws the pulsar clock out of time. As with wobbles and wiggles, the planet disrupts the pulsar's usual steady thythm.



ONNIER

BONNIER

NO SIGN OF LIFE

planets just one tenth as heavy as the Earth Although, unfortunately, the super food explosion that created the pulsar would have rendered the planet completely uninhabitable which is no good for extra-terrestrial life. So if you notice a tick it's best to move on...

Pulsar timing is so sensitive that it can detect



BONN

THE TICKS METHOD First Planet Discovered: PSR B1257*12 B (Poltergelst) Date: 22 January 1992 Orbital period: 25.3 days Distance to Earth: 2300 light years





EXOPLANET **TOOLKIT: BLIPS**



Albert Einstein is arguably the most famous scientist of alltime. Along with the equation E=mc2, he changed the way we think about gravity forever and gave us a new way to hunt down exoplanets.









Imagine taking the sheet off your bed and roping in some friends to hold each corner. You then put a basketball in the middle, which creates a dip in the centre of the sheet. Next you take a tennis ball and roll it rapidly around the rim of the dip. In other words, you make the tennis ball orbit the basketball.

Now, let's pretend the basketball is the Sun and the tennis ball is the Earth. The tennis ball isn't orbiting the basketball because it is being pulled around by it. What happens is that the basketball changes the shape of the sheet and the tennis ball is simply follows that shape. This is Einstein's explanation of gravity and the dip is a called a gravity well.

NEUTRON STARS


Scientists use gravity wells to see if distant stars have exoplanets using a technique called gravitational microlensing. Here's how:

Wait for a nearby star to pass directly in front of a more distant star.


As the light from the distant star approaches the star in front, it encounters its gravity well

The distant star's light curves around the rim of that well before hitting your telescope.

The effect of this is that you'll see the distant star's light get temporarily brighter as if the front star is acting like the lens of a magnifying glass. If the front star has an exoplanet then you'll also see a small extra 'blip' where the planet's own gravity well has added in some extra magnification.







THE BLIPS METHOD First Planet Discovered: OGLE-2003-BLG-235Lb Date: 15 April 2004 Orbital period: 211.2 years Distance to Earth: 17155.8 light years

BONNIER

