




Curated by KATIE SCOTT
and KATHY WILLIS

Botanicum



Algae – top to bottom: *Asterolampra decora*,
Asterolampra vulgaris



Kew
Royal Botanic Gardens

Curated by KATIE SCOTT
and KATHY WILLLIS

Botanicum



Algae – clockwise from top right: *Lyrella hennedyi* var.
neapolitana, *Rhaphoneis amphiceros*, *Amphitetas antediluviana*,
fossil segment of green algae, fossil segment of red algae





Curated by KATIE SCOTT
and KATHY WILLIS

Botanicum







Curated by KATIE SCOTT
and KATHY WILLIS

Botanicum



Bryophytes – left to right: Umbrella liverwort,
Asterella australis, stiff apple moss



Kew
Royal Botanic Gardens


Curated by KATIE SCOTT
and KATHY WILLIS

Botanicum



Fungi and lichens – top to bottom, from left:

Bird's nest fungus, pixie-cup lichen, leathery goblet, veiled lady, enokitake mushroom, red *Marasmius*, golden shield lichen, fly agaric, Lane Cove waxcap



Kew
Royal Botanic Gardens

Curated by KATIE SCOTT
and KATHY WILLIS

Botanicum



Club mosses, horsetails and whisk ferns –
top to bottom, from left: Club moss, whisk
fern, horsetail cone, field horsetail cross-section,
sporophyll of a club moss, field horsetail shoots